Nuheat

excellence is everything

Mat

Pre-built electric floor heating mat






The Comfort You Deserve

Pre-built like an electric blanket, Nuheat Mats are an electric floor heating system that brings soothing heat to tile, stone, laminate, engineered wood, and luxury vinyl floors.


A cost-effective heating solution, Mats are inexpensive to install and do not require ductwork or any additional equipment to operate.

Both Nuheat Custom Mats and Nuheat Standard Mats offer an entirely maintenance-free heating alternative — with no cold spots.

Visit **nuheat.com** to find a distributor near you.



Custom Mat layout



Standard Mat layout

HOW TO ORDER & PURCHASE NUHEAT MATS:

- Submit an accurately measured floor plan indicating all obstructions such as floor vents or islands via an Nuheat distributor (measuring instructions and where-to-buy information available at nuheat.com)
- If needed, the distributor and/or the Nuheat Design Team can help to determine whether Standard Mats or Custom Mats are best suited for your project
- If Custom Mats are desired, the Design Team will produce a design and quotation (typical quote turnaround time is 24 hours)

INSTALLATION'S AS EASY AS 1-2-3



Trowel thinset



Roll mat onto thinset



Trowel thinset and install tile

A professional tile setter installs the Mat onto the subfloor. A certified electrician connects the system to your household wiring.

FAST FACTS

- Heats tile, stone, laminate, engineered wood, and luxury vinyl floors
- Suitable for wet areas such as shower floors, shower benches, and steam rooms
- Available in 120 V and 240 V
- Standard Mats available in over 70 standard, off-the-shelf, square and rectangular sizes with 12 W/ft² (41 BTU/ft²) output
- Custom Mats can fit any complex space with curves and angles and are offered with choice of 12 W/ft² (41 BTU/ft²) or 15 W/ft² (51 BTU/ft²) output
- Custom Mats typically ship in 5 to 7 business days, actual lead time varies and will be confirmed upon quotation and/or order
- Industry leading 25-Year Total Care Warranty

FAQS

Q: Can Nuheat Mats replace my electric baseboard heaters?

A: Yes, Nuheat Mats produce 12 W/ft² for a heat output of 41 BTUs/ft²—easily heating most rooms.

Q: Can I use Nuheat Mats to replace my hot water radiator?

A: Yes, Mats are a viable alternative to water radiators. Invisible and maintenance-free, Mats are a perfect heating option for renovations or additions.

Q: Will Nuheat Mats heat the whole room or just the floor?

A: The whole room! Nuheat Mats transform the entire floor area into the room's heat source—guaranteeing even, consistent heat.

HEAT COVERAGE COMPARISON


Nuheat Mats

41-51

BTUs per ft²

Baseboard heater

BTUs per ft²



OPERATING COST EXAMPLE

	(1)	ft ²	\$ *
Bathroom	5.5 hr.	50	\$0.18
Kitchen	7.5 hr.	150	\$0.75
Living Room	7.5 hr.	200	\$1.01

^{*}Average winter operating cost. Based on US Energy Information Administration 2017 national average of \$0.1289 per kWh and modern insulation standards.



NUHEAT MAT ELECTRICAL DETAILS

- 150 ft² can be installed on a single 120 V circuit
- 300 ft² can be installed on a single thermostat
- Nuheat Controls are equipped with ground fault circuit interrupter (G.F.C.I.) protection
- All Nuheat thermostats come with a floor sensing probe
- Electrical installation instructions are available at nuheat.com









WARRANTY

Join the exclusive rights to offer 25-Year Total Care Warranty* for your floor heating installations. By signing up today you're on your way to distinguishing yourself through expert certification.

* Total Care Warranty is an upgrade of our product warranty and is offered exclusively at no additional cost for all installations completed by Nuheat Certified PRO installers. To learn more on how to become a Nuheat Certified PRO installer visit **nuheat.com**.

For more information, please call: +1.800.778.WARM(9276)

or email: NUHEAT.CustomerCare@chemelex.com

STANDARD MATS (120 V)

	Dimensions (inches)	Ohms	Amps	Watts	Model Number
Shower	32 x 32	171	0.7	84	FG0307
Mat*	32 X 32	171	0.7		
3.5 ft	40 x 27	160	0.8	90	F1006
series	40 x 32 40 x 40	135 108	0.9	107 133	F1008 F1010
	40 x 40 40 x 48	90	1.3	160	F1010
4 ft	48 x 24	150	0.8	96	F1206
series	48 x 30	120	1.0	120	F1208
	48 x 36	100	1.2	144	F1209
5 ft	48 x 48 60 x 24	75 120	1.6	192 120	F1212 F1506
series	60 x 30	96	1.3	150	F1508
	60 x 36	80	1.5	180	F1509
	60 x 42	69	1.8	210	F1510
	60 x 48	60 48	2.0	240 300	F1512 F1515
6 ft	60 x 60 72 x 24	100	1.2	144	F1806
series	72 x 30	80	1.5	180	F1808
	72 x 36	67	1.8	216	F1809
	72 x 42	57 50	2.1 2.4	252	F1810 F1812
	72 x 48 72 x 60	40	3.0	288 360	F1815
	72 x 72	33	3.6	432	F1818
7 ft	84 x 24	86	1.4	168	F2106
series	84 x 30	69	1.8	210	F2108
	84 x 36 84 x 42	57 49	2.1 2.5	252 294	F2109 F2110
	84 x 48	43	2.8	336	F2110
	84 x 60	34	3.5	420	F2115
	84 x 72	29	4.2	504	F2118
8 ft	84 x 84 96 x 24	25 75	4.9 1.6	588 192	F2121 F2506
series	96 x 24	60	2.0	240	F2508
5005	96 x 36	50	2.4	288	F2509
	96 x 42	43	2.8	336	F2510
	96 x 48 96 x 60	38	3.2 4.0	384 480	F2512 F2515
	96 x 72	25	4.8	576	F2513
	96 x 84	21	5.6	672	F2521
	96 x 96	19	6.4	768	F2525
9 ft	108 x 24 108 x 30	67 53	1.8 2.3	216 270	F2706 F2708
series	108 x 36	44	2.5	324	F2708
	108 x 42	38	3.2	378	F2710
	108 x 48	33	3.6	432	F2712
	108 x 60	27	4.5 5.4	540 648	F2715
	108 x 72 108 x 84	22 19	6.3	756	F2718 F2721
	108 x 96	17	7.2	864	F2725
10.5	108 x 108	15	8.1	972	F2727
10 ft series	118 x 24 118 x 30	61 49	2.0	236 295	F3006 F3008
361163	118 x 36	41	3.0	354	F3008
	118 x 42	35	3.4	413	F3010
	118 x 48	31	3.9	472	F3012
	118 x 60 118 x 72	24	4.9 5.9	590 708	F3015 F3018
	118 x 84	17	6.9	826	F3016
	118 x 96	15	7.9	944	F3025
	118 x 108	14	8.9	1062	F3027
	118 x 116	13	9.5	1141	F3030

^{*}The Shower Mat has a 5" center drain hole and exterior dimensions of 32" x 32".

STANDARD MATS (240 V)

	Dimensions				Madal
	Dimensions (inches)	Ohms	Amps	Watts	Model Number
5 ft	60 x 36	320	0.8	180	G1509
series	60 x 42	274	0.9	210	G1510
	60 x 48	240	1.0	240	G1512
	60 x 60	192	1.3	300	G1515
6 ft	72 x 30	320	0.8	180	G1808
series	72 x 36	267	0.9	216	G1809
	72 x 42 72 x 48	229	1.1	252 288	G1810 G1812
	72 x 46 72 x 60	200 160	1.5	360	G1812
	72 x 72	133	1.8	432	G1818
7 ft	84 x 24	343	0.7	168	G2106
series	84 x 30	274	0.9	210	G2108
	84 x 36	229	1.1	252	G2109
	84 x 42	196	1.2	294	G2110
	84 x 48 84 x 60	171 137	1.4	336 420	G2112
	84 x 72	114	1.8 2.1	504	G2115 G2118
	84 x 84	98	2.5	588	G2110
8 ft	96 x 24	300	0.8	192	G2506
series	96 x 30	240	1.0	240	G2508
	96 x 36	200	1.2	288	G2509
	96 x 42	171	1.4	336	G2510
	96 x 48	150	1.6	384	G2512
	96 x 60 96 x 72	120 100	2.0	480 576	G2515 G2518
	96 x 84	86	2.8	672	G2510
	96 x 96	75	3.2	768	G2525
9 ft	108 x 24	267	0.9	216	G2706
series	108 x 30	213	1.1	270	G2708
	108 x 36	178	1.4	324	G2709
	108 x 42 108 x 48	152 133	1.6 1.8	378 432	G2710 G2712
	108 x 48	107	2.3	540	G2712 G2715
	108 x 72	89	2.7	648	G2718
	108 x 84	76	3.2	756	G2721
	108 x 96	67	3.6	864	G2725
	108 x 108	59	4.1	972	G2727
10 ft	118 x 24	244	1.0	236	G3006
series	118 x 30 118 x 36	195 163	1.2 1.5	295 354	G3008 G3009
	118 x 42	140	1.7	413	G3009
	118 x 48	122	2.0	472	G3012
	118 x 60	98	2.5	590	G3015
	118 x 72	81	3.0	708	G3018
	118 x 84	70	3.4	826	G3021
	118 x 96	61	3.9	944	G3025
	118 x 108 118 x 116	54 51	4.4 4.8	1062 1141	G3027 G3030
12 ft	144 x 36	133	1.8	432	G144036
series	144 x 60	80	3.0	720	G144060
	144 x 72	67	3.6	864	G144072
	144 x 96	50	4.8	1152	G144096
	144 x 108	44	5.4	1296	G144108
	144 x 120	40	6.0	1440	G144120
14 ft	144 x 140 168 x 96	34 43	7.0 5.6	1679 1344	G144140 G168096
series	168 x 108	38	6.3	1512	G168108
301103	168 x 120	34	7.0	1680	G168120
	168 x 140	29	8.2	1960	G168140
20 ft	240 x 120	24	10.0	2400	G240120
series					

Information subject to change at any time. For a complete list of up-to-date specifications, please visit nuheat.com.

THERMOSTATS



Nuheat Conductor

- Wifi-enabled with iOS® and Android® apps
- Bluetooth-enabled for easy setup without wifi
 - Vanishing, touch-sensitive display
- Fully programmable
- Basic functions on device, others in app
- Works with popular smart home systems including Apple Home, visit nuheat.com/ connected-home for more info











Nuheat Signature

- Wifi-enabled with iOS® and Android® apps
- 3.5" color touchscreen
- Fully programmable
- All functions on device & in app
- Live, local weather report
- Works with popular smart home systems, visit nuheat.com/connected-home for more info









Nuheat Home

- 3.5" color touchscreen
- Fully programmable



Nuheat Element

- Simple, easy to use controls
- Manual operation (non-programmable)

All thermostats come with manufacturer's limited (3) three-year warranty (valid from the date of purchase), built-in GFCI protection, options for room sensing and floor sensing, and dual-voltage functionality (120 V & 240 V).





North America

Tel +1.800.778.9276

NUHEAT.CustomerCare@chemelex.com



chemelex.com

©2025 Chemelex. All Chemelex marks and logos are owned or licensed by Chemelex Europe GmbH or its affiliates. All other trademarks are the property of their respective owners. Chemelex reserves the right to change specifications without notice.